

Lightweight framed formwork VARIECO

Tried and tested crane-independent manhandled framed system for foundations, walls and columns.

The lightweight framed formwork Varieco by Salesbridges B.V. is a complete system including accessories, which delivers perfect forming performance on construction sites without use of a crane. Sufficient load-bearing capacity and long service life of the Varieco system makes it an cost-effective solution.

Sufficient load-bearing capacity:

- 60 kN/m² pressure of fresh concrete up to 3.00 m;
- 40 kN/m² pressure of fresh concrete up to 4.50 m;
- Can be vertically stacked up to 4.50 m with use of one joint;
- High quality film faced plywood with thickness of 15 mm. Film weight 240 g/m².

Cost-effective:

- Manhandled formwork panels minimize use of a crane;
- High number of use cycles means lower follow-up expenses;
- Reduction of expenses by means of restoration and cleaning possibilities;
- Galvanized or powder-coated steel frames, for long service life;
- High quality of concrete surface minimizes finishing work.

Easy handling and planning:

- All the connectors and accessories are easily fixed into the slots and quickly tighten, consequently forming time is efficient and maximized;
- The ingeniously coordinated panel widths permit optimum adaptation to any structure.

Safe use:

- Accessories such as - supporting struts, wall brackets etc. make for save and easier handling of the system.

Areas of use of the Varieco system:


- Wall formwork;
- Column formwork;
- Foundation formwork.



The heights and widths of the Varieco panels result in a logical and advantageous increment-grid. Small amount of different panels' sizes makes planning easier and forming faster.

- 5 widths of panel
- 4 heights of panel


For any type and size of the panel two options of covering are available.



Galvanized

Powder-coated


STANDARD PANELS



VERSATILE PANELS

The special hole pattern makes these panels particularly suitable for efficient forming of:






- Corners;
- Wall junctions;
- Stop-ends;
- Columns.



VARIECO panel connection


JOINING

Thanks to a continuous slot placed all along the panel's profile, the Varieco clamp device can be installed in any desired point, simply with a blow of the hammer. This makes assembly super-fast and no special tools required.












CLOSURES

















Closures are intended to be used for places where formwork cannot be stroke easily. Filled with construction timber, tighten with use of an adjustable clamp device.



a... max. 15 cm



Item		[kg]	Art no	Item		[kg]	Art no
Standard panel Varieco  <p>Options available: xx xxx 000 - Powder coated; xx xxx 200 - Hot dip galvanized; Custom size on inquiry</p>	0.90x3.00m	85,58	SBF16102VE	External angle Varieco  <p>Options available: xx xxx 000 - Powder coated; xx xxx 200 - Hot dip galvanized; Custom size on inquiry</p>	3.00m	20,80	SBF16614VE
	0.75x3.00m	75,39	SBF16106VE		2.70m	19,02	SBF16624VE
	0.60x3.00m	65,10	SBF16108VE		1.50m	10,35	SBF16634VE
	0.45x3.00m	53,66	SBF16110VE		1.20m	8,68	SBF16644VE
	0.30x3.00m	43,47	SBF16112VE				
	0.90x2.70m	77,18	SBF16202VE				
	0.75x2.70m	67,94	SBF16206VE				
	0.60x2.70m	58,59	SBF16208VE				
	0.45x2.70m	48,41	SBF16210VE				
	0.30x2.70m	39,17	SBF16212VE				
	0.90x1.50m	45,68	SBF16302VE				
	0.75x1.50m	40,32	SBF16306VE				
	0.60x1.50m	34,86	SBF16308VE				
	0.45x1.50m	28,46	SBF16310VE				
	0.30x1.50m	23,10	SBF16312VE				
	0.90x1.20m	37,59	SBF16402VE				
0.75x1.20m	33,18	SBF16406VE					
0.60x1.20m	28,67	SBF16408VE					
0.45x1.20m	23,52	SBF16410VE					
0.30x1.20m	19,11	SBF16412VE					
Versatile panel Varieco  <p>Options available: xx xxx 000 - Powder coated; xx xxx 200 - Hot dip galvanized; Custom size on inquiry</p>	0.90x3.00m	117,42	SBF16100VE	Joint angle Varieco  <p>Options available: xx xxx 000 - Powder coated; xx xxx 200 - Hot dip galvanized; Custom size on inquiry</p>	0.20x1.50m	39,94	SBF16632VE
	0.75x3.00m	95,24	SBF16104VE		0.20x1.20m	33,04	SBF16642VE
	0.90x2.70m	98,18	SBF16200VE				
	0.75x2.70m	85,47	SBF16204VE				
	0.90x1.50m	57,65	SBF16300VE				
	0.75x1.50m	50,19	SBF16304VE				
	0.90x1.20m	44,73	SBF16400VE				
0.75x1.20m	38,96	SBF16404VE					
Stripping corner Varieco  <p>Options available: xx xxx 000 - Powder coated; xx xxx 200 - Hot dip galvanized; Custom size on inquiry</p>				0.30x3.00m	151,83	SBF16616VE	
				0.30x2.70m	135,14	SBF16626VE	
				0.30x1.50m	82,01	SBF16636VE	
Internal angle Varieco  <p>Options available: xx xxx 000 - Powder coated; xx xxx 200 - Hot dip galvanized; Custom size on inquiry</p>	0.20x3.00m	61,43	SBF16610VE	Clamp device Varieco  <p>Options available: xx xxx 000 - Powder coated; xx xxx 200 - Hot dip galvanized; Custom size on inquiry</p>		1,47	SBF16902VE
	0.20x2.70m	54,93	SBF16620VE				
	0.20x1.50m	32,16	SBF16630VE				
	0.20x1.20m	26,62	SBF16640VE				
				Adjustable clamp Varieco  <p>Options available: xx xxx 000 - Powder coated; xx xxx 200 - Hot dip galvanized; Custom size on inquiry</p>		3,79	SBF16904VE

Item	[kg]	Art no	Item	[kg]	Art no	
Profile connector 5-18 Varieco 	0,80	SBF16906VE	Supporting strut 260 Varieco 	16,62	SBF16970VE	
	0,48	SBF16908VE				
Connection screw 5-12 Varieco 	4,20	SBF16910VE	Supporting strut 340 Varieco 	33,50	SBF16972VE	
Guide plate Varieco 0.70m 1.25m 	6,98	SBF16912VE				
Contact device Varieco 	1,20	SBF16914VE	Strut connection profile Varieco 	11,03	SBF16922VE	
Clip Varieco 	0,30	SBF16916VE				
Aligning clamp Varieco 	3,26	SBF16918VE	Superplate 	15	1,22	
Profile adapter Varieco to Varimax 	0,62	SBF16920VE				
Lifting hook LH-SL-0.5t Varieco 	7,67	SBF16950VE	Plastic tube 22 mm 	2.00m	0,36	SBF99100
Wall bracket Varieco 	8,73	SBF16960VE	Plastic cone 	22	0,005	SBF99102
			Tie rod 15.0 mm 	0.50m	0,80	SBF92050
				0.75m	1,20	SBF92075
				1.00m	1,60	SBF92100
				1.25m	2,00	SBF92125
				1.50m	2,40	SBF92150
				1.75m	2,80	SBF92175
				2.00m	3,20	SBF92200

SalesBridges B.V

Your
Bridges To
Factories



SALESBRIDGES BV
Leidsestraat 126, 2182DS, Hillegom, The Netherlands
sales@salesbridges.nl
+31652883848